

	Hits	Search Text	DBs
1	0	((data signal column) adj line) with (switch near10 connect)) and (LCD near10 repaire)	USPAT; US-PGPUB
2	1317	((data signal column) adj line) with (switch near10 connect))	USPAT; US-PGPUB
3	0	((((data signal column) adj line) with (switch near10 connect))) and (LCD adj repaire)	USPAT; US-PGPUB
4	0	((((data signal column) adj line) with (switch near10 connect))) and (LCD with repaire)	USPAT; US-PGPUB
5	93	((((data signal column) adj line) with (switch near10 connect))) and LCD	USPAT; US-PGPUB
6	0	((((data signal column) adj line) with (switch near10 connect))) and repaire	USPAT; US-PGPUB
7	221	((((data signal column) adj line) with (switch near10 connect))) and redund\$6	USPAT; US-PGPUB
8	817	((data signal column) adj line) with (switch near10 connect))	EPO; JPO; DERWENT; IBM_TDB
9	19	((data signal column) adj line) with (switch near10 connect)) and redund\$6	EPO; JPO; DERWENT; IBM_TDB
10	21	(((((data signal column) adj line) with (switch near10 connect))) and redund\$6) and LCD	USPAT; US-PGPUB
11	1	((((data signal column) adj line) with (switch near10 connect)) and redund\$6) and LCD	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	2	((data signal column) adj line) with (switch near10 connect)) and repair	EPO; JPO; DERWENT; IBM_TDB
13	417	LCD and (test adj4 (switch))	USPAT; US-PGPUB
14	1	LCD and (test adj4 (common adj line))	USPAT; US-PGPUB
15	10	LCD and (test adj4 (common near5 line))	USPAT; US-PGPUB
16	48	(LCD and (test adj4 (switch))) and (control adj5 register)	USPAT; US-PGPUB
17	26	(LCD and (test adj4 (switch))) and (control adj register)	USPAT; US-PGPUB
18	159	LCD and (test adj (switch))	USPAT; US-PGPUB
19	14	LCD with (test adj (switch))	USPAT; US-PGPUB
20	60	switch with (two adj data adj line\$5)	USPAT; US-PGPUB
21	0	6518945.URPN.	USPAT
22	18	("4368523"   "4680580"   "4789857"   "4804951"   "4995703"   "5018835"   "5113134"   "5132677"   "5204836"   "5298891"   "5337173"   "5394368"   "5581273"   "5621555"   "5712652"   "5748165"   "5926156"   "5945972").PN.	USPAT
23	2144	(345/90,92,93,94,204,205).CCLS.	USPAT; US-PGPUB
24	0	((345/90,92,93,94,204,205).CCLS.) and (repaire with (signal data column) near5 line)	USPAT; US-PGPUB
25	28	((345/90,92,93,94,204,205).CCLS.) and ((defective inoperative) with (signal data column) near5 line)	USPAT; US-PGPUB

	Hits	Search Text	DBs
26	28	((345/90,92,93,94,204,205).CCLS.) and (redund\$5 with (signal data column) near5 line)	USPAT; US-PGPUB
27	33	((345/90,92,93,94,204,205).CCLS.) and ((defective inoperative) with (signal data column) near5 line)	USPAT; US-PGPUB
28	24	((345/90,92,93,94,204,205).CCLS.) and ((defective inoperative) with (signal data column) near5 line)) not ((345/90,92,93,94,204,205).CCLS.) and (redund\$5 with (signal data column) near5 line))	USPAT; US-PGPUB
29	1	switch adj connect\$4 adj two adj data	USPAT; US-PGPUB
30	7201	((switch adj5 connect\$5) with (signal data column) near5 line)	USPAT; US-PGPUB
31	137	((345/90,92,93,94,204,205).CCLS.) and ((switch adj5 connect\$5) with (signal data column) near5 line)	USPAT; US-PGPUB
32	107	((345/90,92,93,94,204,205).CCLS.) and ((switch adj5 connect\$5) with (signal data column) adj line)	USPAT; US-PGPUB
33	35	((345/90,92,93,94,204,205).CCLS.) and ((switch adj5 connect\$5) adj (signal data column) adj line)	USPAT; US-PGPUB
34	70	((345/90,92,93,94,204,205).CCLS.) and ((switch adj5 connect\$5) adj5 (signal data column) adj line)	USPAT; US-PGPUB
35	19	((345/90,92,93,94,204,205).CCLS.) and ((switch adj connect\$5) adj5 (signal data column) adj line)	USPAT; US-PGPUB

	Hits	Search Text	DBs
36	8	((switch adj interconnect\$5) adj5 (signal data column) adj line)	USPAT; US-PGPUB
37	14	((switch adj connect\$5) adj5 (two adj6 (signal data column) adj line))	USPAT; US-PGPUB
38	12	((switch adj connect\$5) adj5 (two adj6 (signal data column) adj line))	EPO; JPO; DERWENT; IBM_TDB
39	58	((switch near3 connect\$5) adj10 (two adj6 (signal data column) adj line))	USPAT; US-PGPUB
40	3	((switch near3 connect\$5) adj10 (two adj6 (signal data column) adj line)) ) and LCD	USPAT; US-PGPUB
41	19	((switch near3 connect\$5) adj10 (two adj6 (signal data column) adj line)) ) and display	USPAT; US-PGPUB
42	0	((switch near3 connect\$5 near3 together) adj10 (two adj6 (signal column) adj line))	USPAT; US-PGPUB
43	8	((switch near3 connect\$5) adj (two adj6 (signal column) adj line))	USPAT; US-PGPUB
44	7	((switch near3 connect\$5) adj (two adj6 (signal column) adj line))	EPO; JPO; DERWENT; IBM_TDB
45	1	(((((data signal column) adj line) with (switch near10 connect))) and repair\$6) and LCD	EPO; JPO; DERWENT; IBM_TDB
46	6	(((((data signal column) adj line) with (switch near10 connect))) and repair\$6) and LCD	USPAT; US-PGPUB
47	7	(((((data signal column) adj line) with (switch near connect))) and LCD	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	15	(((((data signal column) adj line) with (switch near connect)))) and LCD	USPAT; US-PGPUB
49	16	(((((data signal column) adj line) with (switch near2 connect)))) and LCD	EPO; JPO; DERWENT; IBM_TDB
50	44	(((((data signal column) adj line) with (switch near2 connect)))) and LCD	USPAT; US-PGPUB